# MATERIAL SAFETY DATA SHEET

Complies with OSHA Hazard Communication Standard 29 CFR 1910.1200

Product Type: Product Name: Part Number(s):

Aerosol Cleaner GP3 General Purpose Cleaner N/A Emergency Contact: Chemtrec Phone (24 hours): (800) 424-9300 RGS LABS INTERNATIONAL INC. 7966 JACK JAMES DRIVE STUART, FL 34997 GENERAL INFO: 772-221-1999

January 27<sup>th</sup>, 2012

## **Section 1 - Identification of Product**

COMMON NAME (used on label)(Trade Name & Synonyms): **RPS GP3 GENERAL PURPOSE CLEANER** CAS. NUMBER: See Section 2 CHEMICAL NAME: Glycol Ether & Water CHEMICAL FAMILY: N/A FORMULA: N/A

## HMIS RATINGS

Health:1Flammability:0Reactivity:0Personal Protection:B

Minimal Hazard0Slight Hazard1Moderate Hazard2Serious Hazard3Severe Hazard4Gloves, Safety GlassesB

## Section 2 - Hazardous Ingredients

Principal Hazardous Component(s)							
VAPOR							
	OSHA AGCI	H PRESSURE					
CHEMICAL AND		@ 25 DEG. C.		FLASH			
COMMON NAME(S) CAS. #	PEL TLV	/	LEL UEL	POINTDEG. F	% BY WT		
Ethylene Glycol (111-76-2) Monobutyl Ether	50ppm 50p	opm 0.6mmHg	1.1 10.6	154 (TCC)	2 - 5		
Tripropylene Glycol							
Methyl Ether 25498-49	9-1 NE NE	0.01mmHg	1.5 10.9	250 (CC)	1 - 5		
Liquefied Petroleum Gas 68476-85- (Propellant)	-7 1000ppm 100	0ppm 3691 mmHg	2.0 10.0	-156 Est.	5 - 10		

N/A is not available or not applicable NE is not established

### Section 3 - Physical Data

BOILING POINT (Deg. F): Concentrate Range: 212

## **SPECIFIC GRAVITY (Water = 1):** Concentrate: 1.0

VAPOR PRESSURE (mmHg): See Section 2 PERCENT VOLATILE ORGANIC COMPOUNDS: Less than 10% VAPOR DENSITY (Air = 1): >1 EVAPORATION RATE (BA = 1): >1 SOLUBILITY IN WATER: Yes REACTIVITY IN WATER: None APPEARANCE AND ODOR: CONCENTRATE: Clear liquid, slight ammonia odor; PROPELLANT: Colorless, odorless gas; FINISHED PACKAGE: Pressurized containers.

## Section 4 - Fire & Explosion Hazard Data

**FLASH POINT:** See Section 2

FLAMMABLE LIMITS IN AIR - % BY VOLUME: See Section 2

EXTINGUISHER MEDIA: Water fog, dry chemical, carbon dioxide

AUTO-IGNITION TEMPERATURE: Unknown

**SPECIAL FIRE FIGHTING PROCEDURES:** Water may be used to cool closed containers to prevent pressure build-up and possible bursting when exposed to high temperatures. Firemen should wear self-contained, positive pressure, respiratory equipment.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Contents under pressure. Self-pressurized aerosol containers. Keep temperature of containers below 120 deg. F. to prevent bursting.

### Section 5 - Health Hazard Data

THRESHOLD LIMIT VALUE: See Section 2

# SIGNS AND SYMPTOMS OF EXPOSURE:

EYE CONTACT:	Contact with liquid or mist may cause irritation, possibly permanent
	injury. Vapors may irritate eyes;
<u>SKIN CONTACT:</u>	Prolonged contact may cause irritation, defatting of skin;
<b>INHALATION:</b>	Overexposure to vapor may cause dizziness, loss of concentration and
	irritation. INTENTIONAL MISUSE BY DELIBERATELY
	CONCENTRATING AND INHALING THE CONTENTS OF THE CAN
	MAY BE HARMFUL OR FATAL;
<b>INGESTION:</b>	Aspiration may cause rapid absorption through the lungs, which may
	result in systemic effects.

# EMERGENCY AND FIRST AID PROCEDURES

<b>INHALATION:</b>	Remove to fresh air. If not breathing, give mouth-to-mouth. If breathing
	is difficult, give oxygen. Call a physician.
EYES:	Flush with water for at least 15 minutes. Get medical assistance if
	irritation persists.
SKIN:	Wash off in flowing water or shower. Remove contaminated clothing and
	wash before reuse.
INGESTION:	Do not induce vomiting. Call a physician immediately.
	Do not induce voluting. Can a physician initiodiately.

## Section 6 - Reactivity Data

STABILITY: Stable
CONDITIONS TO AVOID: Avoid any excessive heat, ignition sources, open flames, or other high temperatures which induce thermal decomposition.
INCOMPATIBILITY (Materials to Avoid): None
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Dioxide. Carbon MonoxideHAZARDOUS
POLYMERIZATION: Will not occur.
CONDITIONS TO AVOID: Not Applicable

# Section 7 - Spill or Leak Procedures

# STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Remove ignition sources. Mop up, wipe up, or soak up immediately. Use proper protective equipment.

LARGE SPILLS:

SMALL SPILLS:

Evacuate area. Remove ignition sources. Contain liquid; transfer to closed containers; keep out of water supplies.

**WASTE DISPOSAL METHODS:** Dispose in accordance with Federal, State, and Local regulations. Do not incinerate closed or empty containers.

**Section 8 - Special Protection Information** 

**RESPIRATORY PROTECTION:** NIOSH or Bureau of Mines approved organic vapor-type respirator is required in absence of proper environmental control.

## **VENTILATION:**

LOCAL EXHAUST: To keep below TLV MECHANICAL (General): To keep below TLV SPECIAL: None OTHER: None **PROTECTIVE GLOVES:** Solvent resistant gloves - impervious gloves **EYE PROTECTION:** Safety glasses or goggles **OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** None reasonably foreseeable.

## **Section 9 – Special Precautions**

## **PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:**

Do not store above 110 Deg. F. Do not use or store near any open flames or ignition sources.Contents under pressure. Do not puncture or incinerate. Exposure to temperatures above 120 Deg. F may cause can to burst with violence and cause injury. Vapors are heavier than air and will collect in low areas.

# **OTHER PRECAUTIONS:**

**Section 10 - Regulatory Information** 

SUBJECT TO SECTION 313 OF SARA TITLE III: Yes Isopropyl Alcohol = 5%

ALL CHEMICAL COMPONENTS ARE LISTED IN THE TSCA INVENTORY.

CHEMICAL LISTED AS CARCINOGEN OR POTENTIAL CARCINOGEN: NATIONAL TOXICOLOGY PROGRAM: No I.A.R.C. MONOGRAPHS: No OSHA: No

OSHA PERMISSIBLE EXPOSURE LIMIT: See Section 2 AGCIH THRESHOLD LIMIT VALUE: See Section 2 OTHER EXPOSURE LIMITED USED: None

### **Section 11 - Other Information**

TRANSPORTATION INFORMATION – DOMESTIC GROUNDShipping Name:Consumer CommodityHazard Class:ORM-DUN Number:N/APacking Group:N/AHazard Label:NoneCarton Marking:Consumer Commodity, ORM-D

Disclaimer

RGS LABS INTERNATIONAL, INC. believes that the information contained herein is accurate and reliable as of the date of this material safety data sheet, but no representation guarantee or warranty, express or implied, is made as to the accuracy, reliability, or completeness of the information. Persons receiving this information are encouraged to make their own determination as to the information's suitability and completeness for their particular application. NO INFORMATION CONTAINED HEREIN CONSTITUTES A PRODUCT WARRANTY OF ANY KIND, WHETHER EXPRESS OR IMPLIED; AND ALL IMPLIED WARRANTIES OF MERCHANT ABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE ARE HEREBY DISCLAIMED BY RGS LABS INTERNATIONAL, INC.